

**AMENDMENTS TO THE CLAIMS**

Please amend the claims as follows.

1.-12. (Withdrawn)

13. (Previously Presented) A computer system to manage a directory server, comprising:
- a processor;
  - a memory; and
  - software instructions stored in the memory for enabling the computer system under control of the processor, to perform:
    - receiving a Lightweight Directory Access Protocol request from a client computer to a front-end portion;
    - processing the Lightweight Directory Access Protocol request to create a front-end call;
    - sending the front-end call to a back-end portion;
    - processing the front-end call using a default database function to produce a result, wherein the default database function comprises a mapping tree portion to identify a location of information stored in the back-end portion in response to the Lightweight Directory Access Protocol request sent by the client computer,
    - wherein the back-end portion comprises a plurality of back-end plug-ins for database management;
    - passing the result to the front-end portion; and
    - sending the result from the front-end portion to the client computer.

14. (Previously Presented) A method of processing a Lightweight Directory Access Protocol request from a client computer using a directory server comprising:  
sending a Lightweight Directory Access Protocol request from the client computer to a front-end portion;  
processing the Lightweight Directory Access Protocol request to create a front-end call;  
sending the front-end call to a back-end portion;  
processing the front-end call using a default database function to produce a result,  
wherein, the default database function comprises a mapping tree portion to identify a location of information stored in the back-end portion in response to the Lightweight Directory Access Protocol request sent by the client computer,  
wherein the back-end portion comprises a plurality of back-end plug-ins for database management;  
passing the result to the front-end portion; and  
sending the result from the front-end portion to the client computer.
15. (Original) The method of claim 14, further comprising:  
managing communication by the front-end portion between server-side software and a directory client program stored on the client computer.
16. (Original) The method of claim 14, further comprising:  
managing the directory server system using a graphical user interface backed by an administrative server.
17. (Original) The method of claim 14, further comprising:  
accessing and querying the back-end portion from a web browser with a gateway.
18. (Original) The method of claim 14, further comprising:  
manipulating the front-end portion and the back-end portion with a plurality of database command line tools.

19. (Original) The method of claim 14, further comprising:  
reporting activity to a network console workstation by a network management protocol monitor.
20. (Previously Presented) A method of processing a Lightweight Directory Access Protocol request from a client computer using a directory server comprising:  
sending a Lightweight Directory Access Protocol request from the client computer to a front-end portion;  
processing the Lightweight Directory Access Protocol request to create a front-end call;  
sending the front-end call to a back-end portion;  
processing the front-end call using a default database function to produce a result,  
wherein, the default database function comprises a mapping tree portion to identify a location of information stored in the back-end portion in response to the Lightweight Directory Access Protocol request sent by the client computer;  
passing the result to the front-end portion;  
sending the result from the front-end portion to the client computer;  
managing communication by the front-end portion between server-side software and a directory client program stored on the client computer;  
managing the directory server using a graphical user interface backed by an administrative server;  
accessing and querying the back-end portion from a web browser with a gateway;  
manipulating the front-end portion and the back-end portion with a plurality of database command line tools,  
wherein the back-end portion comprises a plurality of back-end plug-ins for database management; and  
reporting activity to a network console workstation by a network management protocol monitor.

21. (Previously Presented) An apparatus for processing a Lightweight Directory Access Protocol request from a client computer using a directory server comprising:
  - means for sending a Lightweight Directory Access Protocol request from the client computer to a front-end portion;
  - means for processing the Lightweight Directory Access Protocol request to create a front-end call;
  - means for sending the front-end call to a back-end portion;
  - means for processing the front-end call using a default database function to produce a result, wherein, the default database function comprises a mapping tree portion to identify a location of information stored in the back-end portion in response to the Lightweight Directory Access Protocol request sent by the client computer, wherein the back-end portion comprises a plurality of back-end plug-ins for database management;
  - means for passing the result to the front-end portion; and
  - means for sending the result from the front-end portion to the client computer.
22. (Withdrawn)
23. (New) The computer system of claim 13, wherein the core component connection responder is configured to perform at least one selected from the group consisting of roles and class of service.